


For Anti-Corona: P. menthol
 Camphorae Gr VIII
 Rosaceae 3 III
 H. Langt. Apple & rose muscous m
 for the

North Star
 Formula

22500291742



6 abrook { x. 24
 Gamma { Supplement III
 36 t. D. P. O. { Appendix 17

Dr Edward T. Green

25110963

**WELLCOME
LIBRARY**

General Collections

P 29

**WELLCOME INSTITUTE
LIBRARY**

Coll.

WelMOmec

Coll.

No.



HOSPITAL FORMULARY.

*To which is added the treatment of
the more common cases of
Poisoning.*

COMPILED BY TENISON LYONS.

1902.

R. Ac. Nee. dis $\frac{3}{ii}$
 In. Sent. Co. $\frac{3}{iv}$
 aq. Chlof. a $\frac{3}{iii}$
 $\frac{3}{p}$ t.i.d. p.o.

R. Cacao of Peru $\frac{3}{i}$ - $\frac{3}{ii}$
 mucilag. Cacao $\frac{3}{i}$
 Sp. Chlof. $\frac{3}{ii}$
 aq. Menta pip. a $\frac{3}{vi}$
 $\frac{3}{p}$ t.i.d. p.o.

Dublin :

Printed by John T. Drought,
 6, Bachelor's Walk.

Penchaemia :-
 Lic. Fowleri $\frac{3}{i}$
 Is. Tart $\frac{3}{i}$
 aq. Chlof. a $\frac{3}{vi}$
 $\frac{3}{p}$ b. i. d. by measure

Anemia :-
 R. Ferri Suleph. $\frac{3}{ii}$
 mag. Suleph. $\frac{3}{iv}$
 Ac. Suleph. dis $\frac{3}{ii}$
 In. Chlof. Co. $\frac{3}{i}$
 aq. Chlof. a $\frac{3}{vi}$

FORMULÆ.

Mistura Alkalina.

R

Potassii Bicarbonatis	3 4
Sodii Bicarbonatis	gr. 160
Spt. Ammonizæ Aromatici	3 4
Tinct. Rhei Co.	℥ 160
Liq. Calumbæ Concentrati	3 1
Aquæ	ad 3 8
	℥

Dose: *Haif an Ounce.*

Mistura Aloes et Ferri.

R

Decoct. Aloes Co.	3 3
Mist. Ferri Aromaticæ (B.P. 1885)	3 5
	℥

Dose: *Half an Ounce.*

Calomel gr. iii
Sacch. Lactis gr. ss.
It pulv. nocte.

Mistura Amara Aperiens.

R

Magnesii Sulphatis	..	..	$\overline{3}$	I
Acidi Sulphurici dil.	..	..	m	160
Liq. Quassiae Concentrati	..	..	$\overline{3}$	I
Aquæ	..	..	ad $\overline{3}$	8
			m	

Dose: *Half an Ounce.*

Mistura Calcii Chloridi.

R

Calcii Chloridi	..	..	gr.	160
Acidi Hydrochlorici dil.	..	..	m	64
Liq. Arsenici Hydrochlorici	..	..	m	64
Acidi Hydrocyanici dil.	..	..	m	32
Liq. Strychninae Hydrochloridi..	..	..	m	32
Spt. Chloroformi	..	..	m	80
Aquæ	..	..	ad $\overline{3}$	8
			m	

Dose: *Half an Ounce.*

Hæmorrhage p. Bowel
R Calc Chlor gr. 60.
Ext. Glyster. ʒiv
aq. ad ʒviii
3p t.i.p.c.

4 L. digit. m. lbo
 w. l. anrant
 ad 3 viii
 3i t.i.d.
 3p t.i.d.
 6x. 7. digit. m. lbo
 7. m. lbo
 as as 3 viii

Mistura Cardiaca.

Rx

Tinct. Digitalis	..	..	m 80
Spt. Chloroformi	..	..	m 80
Spt. Ætheris Co.	..	..	m 160
Spt. Ammoniaë Aromatici	..	..	m 160
Aquaë	..	..	ad 3 8
			m

Dose : *Half an Ounce.*

Mistura Carminativa.

Rx

Spt. Ammoniaë Aromatici	..	..	3 4
Tinct Cardamomi Co...	..	..	3 4
Tinct Zingiberis	..	..	m 96
Vini Rhei	..	..	3 4
Syrupi Simplicis	..	..	3 4
Aquaë	..	..	ad 3 8
			m

Dose : *Half an Ounce.*

Mistura Cascara Sagrada.

R_x

Ext. Cascaræ Sagradæ Liq.	..	..	3 2
Tinct. Nucis Vomicæ	..	..	℥ 96
Spt. Cinnamomi	..	..	℥ 48
Glycerini	..	..	ad 3 4
			℥

Dose : *Half to one Drachm.*

Mistura Copaibæ.

R_x

Copaibæ	..	..	..	3 4
Liq. Potassæ	..	..	..	℥ 160
Potassii Nitratis	..	..	..	gr. 96
Spt Cinnamomi	..	..	..	℥ 48
Aquæ	..	..	..	ad 3 8
				℥

Dose : *Half an Ounce.*

for gastric
ulcer }
 R. Carb. gr 160
 Liq. morph 3 ii
 Op. chloroform ad 3 viii
 360 tip.

Mistura Bismuthi Alba.

R

Bismuthi Subnitrat	..	..	gr. 80
Potassii Nitratis	..	..	gr. 32
Acidi Nitrici dil.	..	..	℥ 80
Acidi Hydrocyanici dil.	..	..	℥ 32
Spt. Chloroformi	..	..	℥ 64
Aquæ	..	..	ad 3 8
			℥

SHAKE THE BOTTLE.

Dose : *Half an Ounce.*

Mistura Bismuthi Co.

R

Liq. Bismuthi et Ammonii Citratis			3 I
Tinct. Nucis Vomicae	..	..	℥ 96
Tinct. Aurantii	..	..	3 4
Tinct. Chloroformi Co.	..	..	℥ 64
Liq. Calumbæ Concentrati	..	..	3 I
Aquæ	..	..	ad 3 8
			℥

Dose : *Half an Ounce.*

Mistura Bismuthi Salicylatis.

R_x

Bismuthi Salicylatis	..	..	gr. 80
Mucilaginis Acaciæ	..	..	$\overline{3}$ 1
Tinct. Cotonis	..	..	m 160
Spt. Menthæ Piperitæ	..	..	m 48
Aquæ	..	..	ad $\overline{3}$ 8
			m

Dose : *Half an Ounce.*

Mistura Diaphoretica.

R_x

Liq. Ammonii Acetatis	..	..	$\overline{3}$ 2
Spt. Ætheris Nitrosi	..	..	m 160
Syrupi Simplicis	..	..	$\overline{3}$ 1
Aquæ Camphoræ	..	..	ad $\overline{3}$ 8
			m

abnifug. Dose : *Half an Ounce.*

Liq Amm Acet $\overline{3}$ ii
Spt. Æth. Nit $\overline{3}$ 160
Bot Cit gr. $\overline{3}$ 1
aq Camph ad $\overline{3}$ 8

Mistura Diaphoretica Infantis.

R

Liq. Ammonii Acetatis	..	3	4
Vini Ipecacuanhæ	..	m	160
Potassii Nitratis	..	gr.	32
Spt Anisi	..	m	96
Aquæ	..	ad	3 4
			m

Dose : One Drachm.

Mistura Diuretica.

R

Potassii Acetatis	..	3	4
Succi Scoparii	..	3	4
Spt. Juniperis	..	3	4
Syr. Simplicis	..	3	4
Aquæ	..	ad	3 8
			m

Dose : Half an Ounce.

Chronic Brights -
Dr Cordam Co. 3iv
Sp. arom amm. 3ii
Dr. Juniper 3iii
aq Chlf. ad 3vj
3p morning & Evg.

*R. Syr. Filt. 2oz 30. } Syr. R. 2oz. m. 160
 Ol. Morrh. ad 30. } ol. Morrh. ad 30
 3℥ss + 10 } 3i + 10
 for child*

Emulsio Olei Morrhuæ.

R

Olei Morrhuæ	..	..	3	4
Liq. Calcis Saccharati..	..	..	3	I
Spt. Cinnamomi	..	..	℥	48
Glycerini	..	..	3	I
Aquæ	..	..	ad 3	8
			℥	

Dose: *One to Two Drachms.*

Emulsio Olei Morrhuæ c̄ Guaiacol.

R

Olei Morrhuæ	..	..	3	4
Tinct. Senegæ	..	..	℥	160
Guaiacol	..	..	℥	80
Spt. Ment hæ Piperitæ..	..	..	℥	48
Glycerini	..	..	3	4
Aquæ	..	..	ad 3	8
			℥	

Dose: *Half an Ounce.*

Mistura Expectorans Alba.

R̄

Spt. Ammoniaë Aromatici	..	℥	160
Spt Chloroformi	..	℥	80
Tinct. Camphoræ Co.	..	℥	160
Aquæ	..	ad	℥ 8
			℥

Dose : *Half an Ounce.*

Mistura Expectorans Infantilis.

R̄

Vini Ipecacuanhæ	..	..	℥	160
Syrupi Scillæ	..	..	℥	160
Syrupi Tolutani	..	..	℥	160
Aquæ	..	..	ad	℥ 4
				℥

Dose : *One Drachm.*

Mistura Expectorans Sedativa.

R_x

Acidi Hydrobromici dil.	..	℥ 160
Acidi Hydrocyanici dil.	..	℥ 32
Vini Ipecacuanhæ	..	℥ 160
Liq. Morphinae Hydrochloridi	..	℥ 80
Spt. Chloroformi	..	℥ 80
Aquæ	..	ad ℥ 8
		℥

Dose : *Half an Ounce.*

Mistura Expectorans Stimulans.

R_x

Ammonii Carbonatis	..	gr. 80
Tinct. Scillæ	..	℥ 96
Tinct. Senegæ	..	℥ 160
Tinct. Camphoræ Co.	..	℥ 96
Ext. Glycyrrhizæ Liq.	..	℥ 96
Aquæ	..	ad ℥ 8
		℥

Dose : *Half an Ounce.*

Ammon Carb.	℥i	℥ Camph Co	℥ii	R. K. 2. 23
K. 2.	℥i	℥in Ipecach	℥i	
℥r Scillæ	℥i	12 acet Scillæ	℥iv	℥r Scillæ
Syr Ipecacanth	℥ss	Am Carb.	℥ss	℥r Scillæ
Inf Sassa	℥viii	℥ ad	℥viii	℥r Scillæ

Jenner's Syrup.

R *For cough*

Morphinæ Sulphatis	..	..	gr. 2
Acidi Hydrocyanici dil.	..	..	℥ 48
Syrupi Aurantii	..	..	ad ℥ 2
			℥

Dose : *One Drachm.*

Mistura Ferri et Quininæ Sulphatis Co : " M. F. Q. S."

R

Magnesii Sulphatis	..	..	℥ 1
Ferri Sulphatis	..	..	gr. 16
Quininæ Sulphatis	..	..	gr. 16
Acidi Sulphurici dil.	..	..	℥ 160
Tinct. Chloroformi Co (B.P. 1885)			℥ 64
Aquæ	..	..	ad ℥ 8
			℥

Dose : *Half an Ounce.*

Mistura Potassii Bromidi.

R̄

Potassii Bromidi	..	..	3 4
Tinct. Aurantii	..	..	℥ 80
Aquæ	..	..	ad 3 8
			℥

Dose : *Half an Ounce.*

Mistura Potassii Iodidi. *Subm*

R̄

Potassii Iodidi	..	..	gr. 80
Spt. Ammoniaë Aromatici	..	..	℥ 160
Tinct. Cinchonæ Co :	..	..	℥ 160
Aquæ	..	..	ad 3 8
			℥

Dose : *Half an Ounce.*

R_x Hydr. Perch. 3i
 Sp. Chlf 3ii
 Aq. ad 3iii
 Sptis 3iii
 R_x long. sup. 3iii
 3i Hy in unction
 fri
 Secus ondo

Mistura Potassii Iodidi c̄ Hydrargyro.

R_x

Potassii Iodidi	..	..	gr. 80
Hydrargyri Iodidi Rubri	..	..	gr. 1
Spt. Ammoniā Aromatici	..	..	℥ 160
Tinct. Cinchonæ Co: ..	..	..	℥ 160
Aquæ	..	..	ad 3 8
			℥

R_x Hydr. Perch. 3i
 K. 2. 9 + 160
 Spt. Ammon. 3iii
 Aq. ad 3iii
 3p + 10 p.e.
 Dose: *Half an Ounce.*
 Quininæ

Mistura Quininæ.

R_x

Quininæ Sulphatis	..	..	gr. 16
Acidi Sulphurici dil.	..	..	℥ 64
Aquæ	..	..	ad 3 8
			℥

Dose: *Half an Ounce.*

Malaria
 R_x. Quin Sulph 9 + 80.
 Ac. HCl. dil 3iii
 Aq. ad 3iii
 3p + 10 p.e.

Mistura Quininæ Co.

Rx

Quininæ Sulphatis	..	..	gr. 16
Acidi Sulphurici dil.	..	..	℥ 64
Tinct. Nucis Vomicae	..	..	℥ 64
Spt. Chloroformi	..	..	℥ 64
Aquæ	..	..	ad 3 8

℥

Dose : *Half an Ounce.*

Mistura Sodii Salicylatis.

Rx

Sodii Salicylatis	..	..	gr. 160
Aquæ	..	..	3 8

℥

Dose : *Half an Ounce.*

*Rx Sod Salicyl gr 160
Spt
ad 3 8
3 8 at once + 3 8 every 4 hrs
for Rheumatic Pain.*

Mistura Terebinthinæ.

Rx

Confectionis Terebinthinæ	..	..	3 1
Spt. Ment hæ Piperitæ	..	..	℥ 64
Aquæ	..	..	ad 3 8

℥

Dose : *Half an Ounce.*

for Eczema or any acute skin disease
 Rx. Calamine Precip. ℥v.
 Ol. Olive
 Aq. Calcis aa ℥v.

R. Ictheric ℥i **LOTIONS, etc.**

any Symp. Camphor ℥vi
 any Symp. Plum. Subacet. dil. ℥vi
 Rosin
 Prop. melle aa ℥ss

Compound Calamine Lotion.

R

Zinci Oxidi Levigati	..	..	℥ 2
Pulv. Calaminæ	..	..	℥ 2
Acidi Hydrocyanici dil.	..	..	℥ 1
Aquæ Calcis	..	..	ad ℥ 8
			m

Compound Sulphur Lotion.

R

Sulphuris Loti	..	..	℥ 3
Spt. Camphoræ	..	..	℥ 3
Sodii Biboratis	..	..	℥ 2
Glycerini	..	..	℥ 6
Aquæ	..	..	ad ℥ 4
			m

Shake well and apply freely, leaving a thin film
 of Powder on the parts affected.

Compound Sulphurated Potash Lotion.

R_x

Potassæ Sulphuratæ	..	..	3	℥
Zinci Sulphatis	..	..	gr	40
Glycerini	..	..	3	℥
Aquæ	..	..	ad 3	4
				℥

Zinc Cream.

R_x

Zinci Oxidi	..	..	3	℥
Liq. Carbonis Detergentis	..	..	3	2
Acidi Oleici	..	..	℥	30
Linimenti Calcis	..	..	ad 3	4
				℥

Ichthyol Varnish.

R_x

Ichthyol Ammon	..	..	gr.	175
Pulv. Amyli	..	..	gr.	175
Albuminis Ovi	..	..	gr.	7
Aquæ	..	..	ad 3	℥
				℥

Resorcin Paste (Ihle's).

R_x

Resorcini	..	..	..	gr. 10
Zinci Oxidi	..	..	..	3 2
Pulveris Amyli	..	..	..	3 2
Adipis Lanæ Hydrosi	..	..	..	3 2
Paraffini Mollis	..	..	..	3 2
				m

*use on a
patch of chronic
eczema*

Salicylic Acid Paste (Lassar's).

R_x

Acidi Salicylici	..	..	..	gr. 10
Zinci Oxidi	..	..	..	3 2
Pulveris Amyli	..	..	..	3 2
Paraffini Mollis	..	..	..	3 4
				m

Zinc Oxide Gum Paste (Unna's).

R_x

Zinci Oxidi	..	..	..	3 4
Mucilaginis Acaciæ	..	..	..	3 2
Glycerini	..	..	..	3 2
				m

*add gum of gelatine for
tuber treatment*

Menthol and Salol Spray.

R_x

Menthol	..	..	..	gr. 24
Salol	..	..	..	gr. 24
Paroleine	..	..	..	$\frac{3}{3}$ I
				m

Resorcin Spray.

R_x

Resorcini	..	..	..	I
Spt. Menthæ Piperitæ			..	$\frac{3}{3}$ 2
Aquæ	..	..	..	ad $\frac{3}{3}$ 6
				m

Mouth wash:-

R_x Glycerini Gt. Carb. Zi
Glycerini Gt. Carb. ad Zi

Small amounts in of houlbain^M & wash
mouth with

won cure
 R. Ac. Salicyl
 Dr. Cammat. Indis. m. S.
 Colloid Film at 3:10
 3i to be used
 every day.

POISONS AND THEIR TREATMENT.

THE treatment of the more common cases
 of poisoning which are met with in
 Hospital practice, being a copy of the
 directions in the "Emergency Press" of
 this Hospital for the guidance of Resident
 Pupils and others.

R. Ac. Salicyl . grs xv.
 Ex. Cammat. Indis grs. ℥iii
 Sp. thin rect. m. xv
 Aether m. xL
 Crocodon for m. Lxxv

m.

7h. pigm.
 Sig. To be painted on with a brush
 to do for a week

EMETICS.



Mustard. { A tablespoonful of Mustard mixed with ten ounces of tepid water.

Sulphate of Zinc. { 15 to 30 grains (according to age) of Sulphate of Zinc dissolved in two ounces of water, and followed by copious draughts of tepid water.

Sulphate of Copper. { 5 to 10 grains (according to age) of Sulphate of Copper dissolved in two ounces of water and followed by copious draughts of tepid water.

Apomorphine. { Hypodermic injection of $\frac{1}{10}$ of a grain of Hydrochloride of Apomorphine.

Caution.—Do not use the stomach tube or give an emetic if any highly corrosive substance has been taken.

POISON.

TREATMENT.

Alcohol.

{ Stomach tube and wash out, or give an emetic of Apomorphine. Apply the battery (interrupted current) to the legs. Cold douche to the head. Inhalations of Ammonia.

Arsenic.

{ Stomach tube and wash out, or give an emetic. Liquor Ferri Dialysatus, or Ferric Hydrate (made by precipitating Ferric Chloride by Liquor Ammoniaë, and straining through muslin), give *ad lib.* in warm water. Magnesia, Castor Oil.

Belladonna

Atropine.

{ Stomach tube and wash out, or give an emetic. Artificial respiration. Inhalations of Oxygen. Inject hot coffee into the rectum. Stimulants. Hypodermic injection of Nitrate of Pilocarpine $\frac{1}{3}$ to $\frac{1}{2}$ a grain. Hypodermic injection of Sulphate of Strychnine $\frac{1}{100}$ of a grain.

Carbolic Acid,
Creosote,
Guaiacol.

Use with care the soft stomach tube and wash out with equal parts of Alcohol and Water, leaving in the stomach about 8 ounces of the same mixture. Liquor Calcis Saccharatus. Sodium or Magnesium Sulphate. Castor Oil. Olive Oil. Stimulants hypodermically, or by the rectum. Inhalations of Oxygen. Hypodermic injection of Sulphate of Strychnine $\frac{1}{30}$ of a grain. Hypodermic injection of Sulphate of Atropine $\frac{1}{100}$ of a grain. If collapsed, saline injections should be used

Caustic
Alkalies,
Soap Lees.

Vinegar, Lemon Juice, or other dilute acids. Olive Oil. Demulcents, such as Milk, Mucilage, Gruel, Barley Water, Linseed Tea.

Chloral.

Stomach tube and wash out, or give an emetic. Hot blankets, Massage. Inject hot coffee into the rectum. Artificial respiration. Inhalations of Oxygen. Hypodermic injection of Sulphate of Strychnine $\frac{1}{30}$ of a grain

Coal Gas,
Sewer Gas,
Carbonic Acid
Gas,
Carbonic Oxide
Gas
(Water Gas).

Plenty of fresh air. Draw forward the tongue. Apply external warmth. Artificial respiration. Inhalations of Oxygen. Inject a pint of hot and strong coffee into the rectum, or 10 grains of Citrate of Caffeine dissolved in half a pint of saline solution. Galvanism. Apply mustard leaves over the heart and to the calves of the legs

Cocaine.

Stimulants. Apply Ammonia to the nostrils. Give 15 minim doses of Liquor Ammoniaë. Hypodermic injections of Ether. If convulsions supervene, inhalations of Chloroform.

Digitalis.

Stomach tube and wash out, or give an emetic. Stimulants. Keep patient in the recumbent position.

**Hydrocyanic
Acid.**

Cyanides.

Dash cold water on the face. Apply Ammonia to the nostrils. Artificial respiration. Inhalations of Oxygen. If possible, pass the stomach tube and wash out, or give an emetic. Galvanism. Stimulants. Hypodermic injection of Sulphate of Strychnine $\frac{1}{30}$ of a grain. Hypodermic injection of Sulphate of Atropine $\frac{1}{100}$ of a grain.

Ices.

Ice Cream.

{ Castor Oil. Stimulants if necessary. Warmth to the abdomen.

Laburnum

or

Poisonous

Berries.

{ Give an emetic. Hypodermic injection of Sulphate of Strychnine $\frac{1}{30}$ of a grain. Hypodermic injection of Sulphate of Atropine $\frac{1}{100}$ of a grain. Castor Oil. Stimulants. Inject hot coffee into the rectum. Hot and cold douches to the head.

Metallic Salts,

viz.,

**Copper,
Mercury,
Lead,
etc.**

{ Give white of egg, then pass stomach tube and wash out, or give an emetic. Demulcents. Stimulants. Hypodermic injection of Salts of Morphine if necessary.

Mineral Acids,

viz.,

**Hydrochloric,
Nitric,
Sulphuric.**

{ Alkalies Magnesia. Chalk. Milk Olive Oil. Soap and Water. Hypodermic injection of Salts of Morphine if necessary.

Mushrooms.

{ Stomach tube and wash out, or give an emetic. Castor Oil. Stimulants. Hypodermic injection of Sulphate of Atropine $\frac{1}{100}$ of a grain.

Mussels

or other

Shell Fish.

{ Stomach tube and wash out, or give an emetic. Castor Oil. Stimulants. Hypodermic injection of Sulphate of Atropine $\frac{1}{100}$ of a grain.

Opium,

Morphine,

Chlorodyne.

{ Stomach tube and wash out frequently with a solution of Permanganate of Potassium (half a grain to the ounce) or give an emetic. Rouse the patient. Inject hot coffee into the rectum. Alternate hot and cold douches to the head. Artificial respiration. Inhalations of Oxygen Hypodermic injection of Sulphate of Strychnine $\frac{1}{30}$ of a grain. Hypodermic injection of Sulphate of Atropine $\frac{1}{100}$ of a grain.

Oxalic Acid,	{	Chalk. Liquor Calcis.
Salt of Sorrell,		Saccharatus. Olive Oil.
Salt of Lemons		Castor Oil. Inhalations
Sal Acetosellæ		of Oxygen. Hypodermic injection of Sulphate of Strychnine $\frac{1}{30}$ of a grain. Hypodermic injection of Sulphate of Atropine $\frac{1}{100}$ of a grain.

Paraffin Oil.	{	Stomach tube and wash out, or give an emetic.
		Demulcents. Stimulants. (Subsequently Barley Water, Linseed Tea or Gruel <i>ad lib.</i>)

Phosphorus	{	Stomach tube and wash out, or give an emetic of Sulphate of Zinc or of Copper. Old Turpen- tine or French Oil of
"Rat Paste."		Turpentine. Sanitas. Subsequently a purgative of half an ounce of Sul- phate of Magnesium. "Avoid Oils and Fats."

Strychnine.

If the patient is seen before Tetanic symptoms have set in pass the stomach tube and wash out, or give an emetic. Animal Charcoal. Chloral Hydrate. Bromide of Potassium. Enema of Tobacco with care (20 grains to a pint of tepid water). Inhalations of Chloroform. Artificial respiration. Inhalation of Oxygen

Tobacco.

Stomach tube and wash out, or give an emetic. Tannic Acid, 30 grains in water, frequently repeated. Hypodermic injection of Sulphate of Strychnine $\frac{1}{30}$ of a grain. Stimulants freely. Warmth to the surface. Keep patient in the recumbent position.

Turpentine.

Stomach tube and wash out, or give an emetic. Sulphate of Magnesium. (Subsequently Barley Water, Linseed Tea, or Gruel *ad lib.*)

1/2 lb. Sassafras Zi
 1/2 lb. Cinnamon Zi
 1/2 lb. Licorice Zi
 1/2 lb. Turb. Argent. Zi

2x Sod. Sulfat. gr $\overline{xv}$.
 Pot. Bicarb. gr $\overline{xx}$.
 L. Nuc Vom. m $\overline{v}$.
 Dr. Torment. Co. 3℥.
 Glycerin 3℥.
 Aq. ad 3i.

Zi. 1/2 oz. 3℥. for 6 doses
 4 times t.i.d.

2x Alvin gr $\frac{1}{4}$
 Starch gr $\frac{1}{60}$
 Ext. Bellad. gr $\frac{1}{16}$
 Ext. Cascarae gr ss.

1 pill t.i.d.

In herbs
R Calamine Traus 3ii
Schnor Plumbi fort 3ss
ungst Zinci oxid 3iss
mure

Stat ungt. m. a. u.

Rickel: -

R Olei Phosphorati (BP)
m XL

Olei Morrhuae ad 3vj
mure

Sol. the spoon full for
acrid 17r old to begin
after food, along with an
equal quantity of fresh cream

7 Chloroform $\mathfrak{Zi}$
 Aether Sulph $\mathfrak{Zii}$

Spray

7 Sapo nigris
 Spt Rectif. $\bar{a}\bar{o}$ $\mathfrak{Zii}$

7 Sod. Salicyl
 Dr. Linnon $\bar{a}\bar{a}$ $\mathfrak{Zp}$
 al $\bar{a}\bar{o}$ $\mathfrak{Zviii}$

Metall. Hg. $\mathfrak{Zi}$
 Lanolin
 Oleum Olivi $\bar{a}\bar{a}$ $\mathfrak{Zii}$

} dose for
 inter-
 muscular
 injection
 in Syph.

Hyd. & Creb $\mathfrak{Zi}$
 75 Sulph. Insus $\mathfrak{Zi}$
 75 pice.

R. Mithyque Albia ZIII
Oleum Santali ZIV
Cubeb. ZIV

Make 30 capsules.

Syr. Ac. Ros. ZIII

Oleum Pinon. gr. iv.

Syr. Sassa. ad Ziv.

m.

Fill into caps each i - m. Tis.

R. Balsamini Ros. Gr 30

Oleum Amygdali Zp.
aq. Calceas ad

used paper for skins.

Zn ~~A~~

} vi

concoloris

} ii


Hydr. @ carb.


gr i


Pulv. opii

gr ½

} for Sapph.







5, 4, 39

Rx. Urotropin gr 80
Inf Bacterin Zii
Agar Zviii

For freely diluted with
warm water b.i.d.

Mouth Wash

Rx Boracic Zii
Sod Bicarb gr 40
Dr Eucalypti foliorum
Zi
Glycer Zp
Ag ad Zviii

Rx Lotion m

used freely mixed with
equal pt of warm water

Pls. Calamagrostis
Lup. for one aa Zp
Lycium Zi
Al. Calceis at Zm

It is

Big Blue Gr & Zi

Na Benzate Gr F { milk
rest in bud to milk out }
+ Madder a barrel

